

Material Safety Data Sheet (MSDS) - Diethylamine

1. Chemical Product and Company Identification

Product Name : Diethylamine
Catalog Codes : SLD1672
CAS# : 109-89-7
RTECS : HZ8750000
TSCA: TSCA 8(b) inventory : Diethylamine
CI# : Not applicable.
Synonym : n-Ethyl-ethanamine
Chemical Name : 2,2'-diethylamine
Chemical Formula : (CH₃CH₂)₂NH

COMPANY IDENTIFICATION

Supplier: **Pon Pure Chemicals Group**
CHENNAI, TAMILNADU, INDIA

24 Hour Health Emergency (91) 8939878447

(91) 9444038694

Transportation Emergency Phone (91) 8939768680

Company Name	Place	EMERGENCY TELEPHONE NUMBER
Pon Pure Chemicals Group	India	Day Emergency - 044-26161803-26161809

2. Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Diethylamine	109-89-7	100

Toxicological Data on Ingredients: Diethylamine: ORAL (LD50): Acute: 540 mg/kg [Rat.]. DERMAL (LD50): Acute: 820 mg/ kg [Rabbit.]. VAPOR (LC50): Acute: 4000 ppm 4 hour(s) [Rat.].

3. Hazards Identification

Potential Acute Health Effects:

Extremely hazardous in case of ingestion. Very hazardous in case of eye contact (irritant). Hazardous in case of skin contact (irritant, permeator). Slightly hazardous in case of inhalation. Inflammation of the eye is characterized by redness, watering, and itching.

Potential Chronic Health Effects:

Extremely hazardous in case of ingestion. Very hazardous in case of eye contact (irritant). Hazardous in case of skin contact (irritant, permeator). Slightly hazardous in case of inhalation. CARCINOGENIC EFFECTS: Classified A5 (Not suspected for human.) by ACGIH. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available.

4. First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Finish by rinsing thoroughly with running water to avoid a possible infection. Cold water may be used.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation: Not available.

Ingestion:

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

5. Fire and Explosion Data

Flammability of the Product	: Flammable.
Auto-Ignition Temperature	: 312°C (593.6°F)
Flash Points	: CLOSED CUP: Lower than -18°C (0°F). : OPEN CUP: -28°C (-18.4°F) (Cleveland).

Flammable Limits : LOWER: 1.8% UPPER: 10.1%

Products of Combustion : These products are carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂...).

Fire Hazards in Presence of Various Substances:

Highly flammable in presence of open flames and sparks, of heat, of oxidizing materials.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

Flammable liquid, soluble or dispersed in water. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam, water spray or fog.

Special Remarks on Fire Hazards:

Vapor may travel considerable distance to source of ignition and flash back. When heated to decomposition it emits toxic fumes.

Special Remarks on Explosion Hazards: Not available.

6. Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:

Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Neutralize the residue with a dilute solution of acetic acid. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. If ingested, seek medical advice immediately and show the container or the label. Avoid

contact with skin and eyes Keep away from incompatibles such as oxidizing agents, acids.

Storage:

Alkalis may be stored in heavy duty gauge steel containers. Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. A refrigerated room would be preferable for materials with a flash point lower than 37.8°C (100°F).

8. Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 10 STEL: 25 (ppm) from ACGIH (TLV) TWA: 30 STEL: 75 (mg/m³) from ACGIH
Consult local authorities for acceptable exposure limits.

9. Physical and Chemical Properties

Physical state and appearance	: Liquid. (Liquid.)
Odor	: Ammoniacal.
Taste	: Not available.
Molecular Weight	: 73.14 g/mole
Color	: Colorless.
pH (1% soln/water)	: 13 [Basic.]
Boiling Point	: 55.5°C (131.9°F)
Melting Point	: -50°C (-58°F)
Critical Temperature	: Not available.
Specific Gravity	: 0.71 (Water = 1)

Vapor Pressure	: 195 mm of Hg (@ 20°C)
Vapor Density	: 2.5 (Air = 1)
Volatility	: Not available.
Odor Threshold	: Not available.
Water/Oil Dist. Coeff.	: The product is more soluble in oil; log(oil/water) = 0.6
Ionicity (in Water)	: Not available.
Dispersion Properties	: See solubility in water, methanol, diethyl ether, n-octanol.
Solubility	: Easily soluble in cold water, hot water. Soluble in methanol, diethyl ether, n-octanol.

10. Stability and Reactivity Data

Stability	: The product is stable.
Instability Temperature	: Not available.
Conditions of Instability	: Not available.
Incompatibility with various substances	: Reactive with oxidizing agents, acids.
Corrosivity	: Non-corrosive in presence of glass.
Special Remarks on Reactivity	: Not available.
Special Remarks on Corrosivity	: Not available.
Polymerization	: No.

11. Toxicological Information

Routes of Entry : Dermal contact. Eye contact. Ingestion.

Toxicity to Animals:

WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 540 mg/kg [Rat.]. Acute dermal toxicity (LD50): 820 mg/kg [Rabbit.]. Acute toxicity of the vapor (LC50): 4000 ppm 4 hour(s) [Rat.].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified A5 (Not suspected for human.) by ACGIH.

Other Toxic Effects on Humans:

Extremely hazardous in case of ingestion. Hazardous in case of skin contact (irritant, permeator). Slightly hazardous in case of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Material is destructive to tissue of

the mucous membranes and upper respiratory tract.

12. Ecological Information

Ecotoxicity : Not available.

BOD5 and COD : Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

13. Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport Information

DOT Classification : Class 3: Flammable liquid.

Identification : Diethylamine : UN1154 PG: II

Special Provisions for Transport : Not available.

15. Other Regulatory Information

Federal and State Regulations:

Pennsylvania RTK: Diethylamine Massachusetts RTK: Diethylamine TSCA 8(b) inventory: Diethylamine CERCLA: Hazardous substances.: Diethylamine

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada):

CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC). CLASS D-2B: Material causing other toxic effects (TOXIC).

DSCL (EEC):

R11- Highly flammable. R38- Irritating to skin. R41- Risk of serious damage to eyes.

HMIS (U.S.A.):

Health Hazard : 3

Fire Hazard : 3

Reactivity : 0

Personal Protection : h

National Fire Protection Association (U.S.A.):

Health : 3

Flammability : 3

Reactivity : 0

Specific hazard :

Protective Equipment:

Gloves, Lab coatm Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate Splash goggles.

16.Other Information

Disclaimer:

The information and recommendations contained herein are, to the best of **Pon Pure Chemicals Group** knowledge and belief, accurate and reliable as of the date issued. You can contact **Pon Pure Chemicals Group** to ensure that this document is the most current available from **Pon Pure Chemicals Group**. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.